



Mercedes-Benz

General

Vehicle	Mercedes-AMG C 43 4MATIC Coupe	Licence plate	WK20HPZ
VIN	-	CVN	00431966
FIN	WDD2053642F948763	EU type approval number	e1*2001/116*0431*52
Delivery Date	07.08.2019	CAL ID	276901700090003J
Order Number	0953704522		
Production Number	1401014		
Initial registration	13.08.2020		
Customer name	-		

Technical

Paint	992 (-)	Transmission	72504822319103 (Partnr.: 2052708602)
Engine	27682331075402 (Partnr.: A2760101115)	Steering	2134603002021919762927 (Right hand drive)

Interior equipment

Code	Usage	Designation
610	additionalInteriorCode1	Fabric/imitation leather/microfiber
641	interiorCode	Fabric / imitation leather / microfiber - Black / anth.

Operation fluids

Brake fluid	Custom fill level	Gear Oil	9,0l
Coolant	Custom fill level	Front Axle Gear Oil	Custom fill level
Refrigerant	Custom fill level	Rear Axle Gear Oil	Custom fill level
Refrigerator Oil	Custom fill level	Transference Gear Oil	0.65l

Color

Paint	Code	Name
1	992	-

Engine

Engine	Engine number	Part number
1	27682331075402	A2760101115

SA Codes

Code	Description
01U	Mercedes-Benz Connect - Services for navigation
05B	Operating instructions and service booklet-English



Mercedes-Benz

SA Codes

08U	Mercedes-Benz Connect - Services for Vehicle Setup (HERMES)
09U	Mercedes-Benz Connect - Vehicle Monitoring (HERMES)
15U	Pre-installation for MB-Link smartphone integration
1A2	-
1P6	Control code for Sales
218	Rear view camera
21A	-
235	Active Parking Assist
249	Automatic dimming inside rearview mirror and outside mirrors
255B	Mb-Mobilo with DSB and GGD
258	Collision warning system with FCW-Stop active brake application
270	GPS aerial
274	Telephone antenna
287	Through-loading feature
294	Kneebag
2A9	-
2U8	Alternative refrigerant
309	Cup holder
30P	Stowage facility package
335B	Language of instrument cluster/HU - English
345	rain sensor
351	Ecall emergency call system
355	Preinstallation for retrofitting navigation system
357	SD card navigation
362	HERMES communications module LTE
367	Pre-installation for Live Traffic Information
3A4	-
3U1	Head unit for Europe/CIS states/Mongolia
421	9-speed automatic transmission
431	Steering wheel gearshift buttons/steering wheel shift paddles - Electroplated
440	Cruise control
461	Instrument with miles display + Engl. lettering
475	Tire pressure monitor (TPM)



Mercedes-Benz

SA Codes

488	Steel/air suspension system
500	Electrically folding exterior mirrors
506	Audio 20 radio navigation-capable NTG5.5
51A	-
51U	Headliner, black fabric
52V	Speed/load index 95Y XL + 97Y XL
537	Digital Radio standard DAB (Digi. Audio Broadc.)
537L	Great Britain and Northern Ireland
551	Standard anti-theft alarm system (ATA)
580	Air-conditioning system
598	Gasoline particulate filter (OPF) with sensor system
5A1	-
5P6	Control code for Sales
5XXL	Europe
610A	Fabric/imitation leather/microfiber
611	Ambient lighting
631	Static LED headlamps, left-hand traffic
641A	Fabric / imitation leather / microfiber - Black / anth.
666	Product protection for shipment veh. without transport eyelets
6A2	-
6P5	Control code for Sales
739	Trim elements - Aluminum
772	AMG styling - Front spoiler, side skirts
776	Wider wheel arch for AMG wheels
79B	Pre-installation for digital radio standard DAB/DMB
800	YoM X9/1
840	Glas dunkel getönt
859	Central display size M
873	Seat heaters for driver and front passenger
876	Interior lighting package
882	Sensor system and siren for anti-theft alarm system
885	Increased anti-theft protection
893	KEYLESS-Start



Mercedes-Benz

SA Codes

8U6	Assistance system steering wheel control changeover
8U8	i-Size marking (Isofix successor)
916	Fuel tank with large capacity - Volume 1
927	Exhaust treatment, Euro 6 technology
968	Euro 6 technology COC document - without motor vehicle registration certificate, part 2
989	Identification label under windshield
992U	Selenite gray - Metallic finish
998	Control code for conversion to WLTP with RDE
99B	Active adjustment damping "Normally Open"
A035	-
A104	-
B09	Refrigerant compressor with magnetic clutch
B10	Fuel tank packages for Euro-6D standard
B51	TIREFIT
B59	Drive program selection switch (Agility Select)
F205	Model series 205
FC	Coupe
G041	-
GA	Automatic transmission
HA	Rear axle
JIC	Plant control code
JVH	Plant control code
JVO	Plant control code
JWB	Plant control code
K11	Adaptive brake light, flashing
K13	Control code for service interval 25000 km
K27	Software control for unpowered in position "D"
K31	Noise regulations as per ECE R51-03
L6J	Nappa leather AMG steering wheel
M002	Engines with turbocharger with charge air cooling
M005	Vehicles with 4MATIC/all-wheel drive
M016	Upgraded engine
M276	V6 spark-ignition engine M276



Mercedes-Benz

SA Codes

M30	Displacement 3.0 liter
NA1	Plant control code
P29	Interior AMG Line / interior AMG sport package
P31	Exterior AMG Line / exterior AMG sport package
P44	Parking Package
P49	Mirror package
P54	Anti-Theft Protection package
P65	Ergonomics package
PBF	MBUX Navigation Plus
PYB	Control code for Sales
PYM	Control code for Sales
PZB	Control code for Sales
R	Right-hand drive
R01	Summer tyres
RSJ	AMG double-spoke wheels 18" "mixed tires"
U01	Rear seat belt status indicator
U02	Belt feeder
U09	Leather-clad instrument panel and beltline (embossed imit.)
U10	Front passenger seat with weight sensor
U22	Front lumbar support adjustment
U26	Floor mats - AMG
U47	AMG spoiler lip
U60	Pedestrian protection - Active hood
U78	Switchable exhaust system
VL	Left front axle half
VR	Right front axle half
Y05	Seat belt in red

Brake fluid

Brake fluid specification	331.0
---------------------------	-------

Coolant

Specification for coolant	
325.6	-



Mercedes-Benz

326.6	No Mercedes-Benz genuine part available.
-------	--

Refrigerant

Quantity (Litre)	Oil quality	Footnotes
-	361.1	No Mercedes-Benz genuine part available.

Refrigerator Oil

Quantity (Litre)	Oil quality	Footnotes
-	362.1	-

Gear Oil

Quantity (Litre)	Oil quality	Footnotes
9,0	236.17	ATF -

Front Axle Gear Oil

Quantity (Litre)	Oil quality	Footnotes
-	235.7	75W-85 -

Rear Axle Gear Oil

Quantity (Litre)	Oil quality	Footnotes
-	239.71	75W-85 -

Transference Gear Oil

Quantity (Litre)	Oil quality	Footnotes
0.65	236.15	ATF -
0.65	236.17	ATF -